


Straight Liquidtite Connectors

For Use with Liquidtite Flexible Metallic Conduit
Non Insulated


Non Insulated



PART NUMBER	SIZE	KO SIZE	DIMENSIONS			QUANTITY PER BOX	WEIGHT PER C
			A	B	C		
LT38	3/8"	1/2"	1 1/8"	1/2"	1 1/8"	25	15.4
LT50	1/2"	1/2"	1 1/4"	1/2"	1 1/4"	25	17.6
LT75	3/4"	3/4"	1 1/4"	1/2"	1 9/16"	25	28.7
LT100	1"	1"	1 7/16"	5/8"	1 13/16"	5	39.7
LT125	1 1/4"	1 1/4"	1 1/2"	11/16"	2 1/4"	5	55.1
LT150	1 1/2"	1 1/2"	1 5/8"	3/4"	2 7/16"	2	70.5
LT200	2"	2"	1 3/4"	3/4"	3"	1	99.2
LT250	2 1/2"	2 1/2"	2 3/16"	1"	4"	1	363.8
LT300	3"	3"	2 1/2"	1 1/8"	4 3/16"	1	456.4
LT350	3 1/2"	3 1/2"	2 5/8"	1 3/16"	5 1/4"	1	668.0
LT400	4"	4"	2 3/4"	1 1/4"	5 3/4"	1	789.2
LT500	5"	5"	3 1/8"	1 7/16"	6 1/16"	1	1036.2
LT600	6"	6"	3 3/8"	1 1/2"	7 3/4"	1	1366.9

Insulated

Insulated



PART NUMBER	SIZE	KO SIZE	DIMENSIONS			QUANTITY PER BOX	WEIGHT PER C
			A	B	C		
LT38-I	3/8"	1/2"	1 1/8"	9/16"	1 1/8"	25	15.6
LT50-I	1/2"	1/2"	1 1/4"	9/16"	1 1/4"	25	17.8
LT75-I	3/4"	3/4"	1 1/4"	9/16"	1 9/16"	25	28.9
LT100-I	1"	1"	1 7/16"	11/16"	1 13/16"	5	40.1
LT125-I	1 1/4"	1 1/4"	1 1/2"	3/4"	2 1/4"	5	55.7
LT150-I	1 1/2"	1 1/2"	1 5/8"	13/16"	2 7/16"	2	71.2
LT200-I	2"	2"	1 3/4"	13/16"	3"	1	100.2
LT250-I	2 1/2"	2 1/2"	2 3/16"	1 1/16"	4"	1	367.4
LT300-I	3"	3"	2 1/2"	1 3/16"	4 3/16"	1	460.9
LT350-I	3 1/2"	3 1/2"	2 5/8"	1 1/4"	5 1/4"	1	674.7
LT400-I	4"	4"	2 3/4"	1 5/16"	5 3/4"	1	797.1
LT500-I	5"	5"	3 1/8"	1 1/2"	6 1/16"	1	1046.6
LT600-I	6"	6"	3 3/8"	1 9/16"	7 3/4"	1	1380.6

- Materials:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut



Commercial Fittings, Inc.
Irving, TX

Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com


45° Liquidtite Connectors

For Use with Flexible Metallic Conduit

Non Insulated

PART NUMBER	SIZE	KO SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3845	3/8"	1/2"	1 15/16"	1/2"	1 1/8"	1 1/2"	10	27.1
LT5045	1/2"	1/2"	2"	1/2"	1 1/4"	1 1/2"	10	27.1
LT7545	3/4"	3/4"	2 3/16"	1/2"	1 9/16"	1 9/16"	10	39.7
LT10045	1"	1"	2 1/2"	5/8"	1 13/16"	1 13/16"	5	63.5
LT12545	1 1/4"	1 1/4"	2 13/16"	11/16"	2 1/4"	2 3/16"	5	87.3
LT15045	1 1/2"	1 1/2"	3"	3/4"	2 7/16"	2 7/16"	2	110.2
LT20045	2"	2"	3 11/16"	3/4"	3"	2 13/16"	1	176.4
LT25045	2 1/2"	2 1/2"	7 5/16"	1"	4"	4 7/16"	1	573.2
LT30045	3"	3"	7 5/8"	1 1/8"	4 3/16"	5 1/2"	1	859.8
LT35045	3 1/2"	3 1/2"	9 5/8"	1 3/16"	5 1/4"	5 15/16"	1	1278.7
LT40045	4"	4"	11 11/16"	1 1/4"	5 3/4"	8 5/16"	1	1521.2


Non Insulated



Insulated

PART NUMBER	SIZE	KO SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3845-I	3/8"	1/2"	1 15/16"	9/16"	1 1/8"	1 1/2"	10	27.3
LT5045-I	1/2"	1/2"	2"	9/16"	1 1/4"	1 1/2"	10	27.3
LT7545-I	3/4"	3/4"	2 3/16"	9/16"	1 9/16"	1 9/16"	10	40.1
LT10045-I	1"	1"	2 1/2"	11/16"	1 13/16"	1 13/16"	5	64.2
LT12545-I	1 1/4"	1 1/4"	2 13/16"	3/4"	2 1/4"	2 3/16"	5	88.1
LT15045-I	1 1/2"	1 1/2"	3"	13/16"	2 7/16"	2 7/16"	2	111.3
LT20045-I	2"	2"	3 11/16"	13/16"	3"	2 13/16"	1	178.2
LT25045-I	2 1/2"	2 1/2"	7 5/16"	1 1/16"	4"	4 7/16"	1	578.9
LT30045-I	3"	3"	7 5/8"	1 3/16"	4 3/16"	5 1/2"	1	868.4
LT35045-I	3 1/2"	3 1/2"	9 5/8"	1 1/4"	5 1/4"	5 15/16"	1	1294.5
LT40045-I	4"	4"	11 11/16"	1 5/16"	5 3/4"	8 5/16"	1	1536.4

Insulated



- Materials:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut



Commercial Fittings, Inc.
Irving, TX

Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com


90° Liquidtite Connectors

For Use with Flexible Metallic Conduit

Non Insulated

PART NUMBER	SIZE	KO SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3890	3/8"	1/2"	1 5/16"	1/2"	1 1/8"	1 5/8"	10	25.4
LT5090	1/2"	1/2"	1 7/16"	1/2"	1 1/4"	1 5/8"	10	28.9
LT7590	3/4"	3/4"	1 5/8"	1/2"	1 9/16"	1 3/4"	10	44.1
LT10090	1"	1"	2 5/16"	5/8"	1 13/16"	2 1/8"	5	74.5
LT12590	1 1/4"	1 1/4"	2 3/8"	11/16"	2 1/4"	2 1/4"	5	96.1
LT15090	1 1/2"	1 1/2"	3 11/16"	3/4"	2 7/16"	2 3/8"	2	121.3
LT20090	2"	2"	3 3/16"	3/4"	3"	2 3/4"	1	176.4
LT25090	2 1/2"	2 1/2"	8 5/16"	1"	4"	8 3/16"	1	837.7
LT30090	3"	3"	9 13/16"	1 1/8"	4 3/16"	9 3/8"	1	1234.6
LT35090	3 1/2"	3 1/2"	11 3/16"	1 3/16"	5 1/4"	11 1/4"	1	1896.0
LT40090	4"	4"	13"	1 1/4"	5 3/4"	12 9/16"	1	2381.0


Non Insulated



Insulated

PART NUMBER	SIZE	KO SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3890-I	3/8"	1/2"	1 5/16"	9/16"	1 1/8"	1 5/8"	10	25.7
LT5090-I	1/2"	1/2"	1 7/16"	9/16"	1 1/4"	1 5/8"	10	29.2
LT7590-I	3/4"	3/4"	1 5/8"	9/16"	1 9/16"	1 3/4"	10	44.6
LT10090-I	1"	1"	2 5/16"	11/16"	1 13/16"	2 1/8"	5	75.3
LT12590-I	1 1/4"	1 1/4"	2 3/8"	3/4"	2 1/4"	2 1/4"	5	97.1
LT15090-I	1 1/2"	1 1/2"	2 11/16"	13/16"	2 7/16"	2 3/8"	2	122.5
LT20090-I	2"	2"	3 3/16"	13/16"	3"	2 3/4"	1	178.2
LT25090-I	2 1/2"	2 1/2"	8 5/16"	1 1/16"	4"	8 3/16"	1	846.1
LT30090-I	3"	3"	9 13/16"	1 3/16"	4 3/16"	9 3/8"	1	1246.9
LT35090-I	3 1/2"	3 1/2"	11 3/16"	1 1/4"	5 1/4"	11 1/4"	1	1914.9
LT40090-I	4"	4"	13"	1 5/16"	5 3/4"	12 9/16"	1	2404.8

Insulated



- Materials:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut



Commercial Fittings, Inc.
Irving, TX


Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com

Straight Grounded Liquidtite Connectors

For Use with Liquidtite Flexible Metallic Conduit
Non Insulated - Grounding

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT38L	3/8"	4-14	1 1/8"	1/2"	1 1/8"	3/4"	25	17.4
LT50L	1/2"	4-14	1 1/4"	1/2"	1 1/4"	3/4"	25	19.5
LT75L	3/4"	4-14	1 1/4"	1/2"	1 9/16"	3/4"	25	30.7
LT100L	1"	4-14	1 7/16"	5/8"	1 13/16"	3/4"	5	41.7
LT125L	1 1/4"	4-14	1 1/2"	11/16"	2 1/4"	3/4"	5	57.0
LT150L	1 1/2"	4-14	1 5/8"	3/4"	2 7/16"	3/4"	2	72.4
LT200L	2"	4-14	1 3/4"	3/4"	3"	3/4"	1	100.9
LT250L	2 1/2"	1/0-8	2 3/16"	1"	4"	1 1/8"	1	370.9
LT300L	3"	1/0-8	2 1/2"	1 1/8"	4 3/16"	1 1/8"	1	462.9
LT350L	3 1/2"	3/0-6	2 5/8"	1 3/16"	5 1/4"	1 1/2"	1	682.1
LT400L	4"	3/0-6	2 3/4"	1 1/4"	5 3/4"	1 1/2"	1	802.9
LT500L	5"	250-MCM-6	3 1/8"	1 7/16"	6 1/16"	1 11/16"	1	1052.7
LT600L	6"	250-MCM-6	3 3/8"	1 1/2"	7 3/4"	1 11/16"	1	1389.4


Non Insulated



Insulated - Grounding

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT38L-I	3/8"	4-14	1 1/8"	9/16"	1 1/8"	3/4"	25	17.6
LT50L-I	1/2"	4-14	1 1/4"	9/16"	1 1/4"	3/4"	25	19.8
LT75L-I	3/4"	4-14	1 1/4"	9/16"	1 9/16"	3/4"	25	30.9
LT100L-I	1"	4-14	1 7/16"	11/16"	1 13/16"	3/4"	5	41.9
LT125L-I	1 1/4"	4-14	1 1/2"	3/4"	2 1/4"	3/4"	5	57.3
LT150L-I	1 1/2"	4-14	1 5/8"	13/16"	2 7/16"	3/4"	2	72.8
LT200L-I	2"	4-14	1 3/4"	13/16"	3"	3/4"	1	101.4
LT250L-I	2 1/2"	1/0-8	2 3/16"	1 1/16"	4"	1 1/8"	1	372.6
LT300L-I	3"	1/0-8	2 1/2"	1 3/16"	4 3/16"	1 1/8"	1	465.2
LT350L-I	3 1/2"	3/0-6	2 5/8"	1 1/4"	5 1/4"	1 1/2"	1	685.6
LT400L-I	4"	3/0-6	2 3/4"	1 5/16"	5 3/4"	1 1/2"	1	806.9
LT500L-I	5"	250-MCM-6	3 1/8"	1 1/2"	6 1/16"	1 11/16"	1	1057.9
LT600L-I	6"	250-MCM-6	3 3/8"	1 9/16"	7 3/4"	1 11/16"	1	1394.9

Insulated



- Material:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut
 - Aluminum Lug



TM

Commercial Fittings, Inc.
Irving, TX


Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com

45° Grounded Liquidtite Connectors

For Use with Liquidtite Flexible Metallic Conduit
Non Insulated - Groundings

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3845-L	3/8"	4-14	1 15/16"	1/2"	1 1/8"	1 1/2"	10	29.3
LT5045-L	1/2"	4-14	2"	1/2"	1 1/4"	1 1/2"	10	29.3
LT7545-L	3/4"	4-14	2 3/16"	1/2"	1 9/16"	1 9/16"	10	41.9
LT10045-L	1"	4-14	2 1/2"	5/8"	1 13/16"	1 13/16"	5	65.7
LT12545-L	1 1/4"	4-14	2 13/16"	11/16"	2 1/4"	2 3/16"	5	89.5
LT15045-L	1 1/2"	4-14	3"	3/4"	2 7/16"	2 7/16"	2	112.4
LT20045-L	2"	4-14	3 11/16"	3/4"	3"	2 13/16"	1	178.6
LT25045-L	2 1/2"	1/0-8	7 5/16"	1"	4"	4 7/16"	1	582.0
LT30045-L	3"	1/0-8	7 5/8"	1 1/8"	4 3/16"	5 1/2"	1	868.6
LT35045-L	3 1/2"	3/0-6	9 5/8"	1 3/16"	5 1/4"	5 15/16"	1	1296.3
LT40045-L	4"	3/0-6	11 11/16"	1 1/4"	5 3/4"	8 5/16"	1	1538.8


Non Insulated



Insulated - Groundings

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3845-L-I	3/8"	4-14	1 15/16"	9/16"	1 1/8"	1 1/2"	10	29.6
LT5045-L-I	1/2"	4-14	2"	9/16"	1 1/4"	1 1/2"	10	29.6
LT7545-L-I	3/4"	4-14	2 3/16"	9/16"	1 9/16"	1 9/16"	10	42.3
LT10045-L-I	1"	4-14	2 1/2"	11/16"	1 13/16"	1 13/16"	5	66.4
LT12545-L-I	1 1/4"	4-14	2 13/16"	3/4"	2 1/4"	2 3/16"	5	90.4
LT15045-L-I	1 1/2"	4-14	3"	1 3/16"	2 7/16"	2 7/16"	2	113.5
LT20045-L-I	2"	4-14	3 11/16"	13/16"	3"	2 13/16"	1	180.4
LT25045-L-I	2 1/2"	1/0-8	7 5/16"	1 1/16"	4"	4 7/16"	1	587.8
LT30045-L-I	3"	1/0-8	7 5/8"	1 3/16"	4 3/16"	5 1/2"	1	887.4
LT35045-L-I	3 1/2"	3/0-6	9 5/8"	1 1/4"	5 1/4"	5 15/16"	1	1309.2
LT40045-L-I	4"	3/0-6	11 11/16"	1 5/16"	5 3/4"	8 5/16"	1	1554.1

Insulated



- Material:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut
 - Aluminum Lug



Commercial Fittings, Inc.
Irving, TX


Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com

90° Grounded Liquidtight Connectors

For Use with Flexible Metallic Conduit
Non Insulated - Grounded

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3890-L	3/8"	4-14	1 5/16"	1/2"	1 1/8"	1 5/8"	10	27.6
LT5090-L	1/2"	4-14	1 7/16"	1/2"	1 1/4"	1 5/8"	10	31.1
LT7590-L	3/4"	4-14	1 5/8"	1/2"	1 9/16"	1 3/4"	10	46.3
LT10090-L	1"	4-14	2 5/16"	5/8"	1 13/16"	2 1/8"	5	76.7
LT12590-L	1 1/4"	4-14	2 3/8"	11/16"	2 1/4"	2 1/4"	5	98.3
LT15090-L	1 1/2"	4-14	2 11/16"	3/4"	2 7/16"	2 3/8"	2	123.5
LT20090-L	2"	4-14	3 3/16"	3/4"	3"	2 3/4"	1	178.6
LT25090-L	2 1/2"	1/0-8	8 5/16"	1"	4"	8 3/16"	1	846.6
LT30090-L	3"	1/0-8	9 13/16"	1 1/8"	4 3/16"	9 3/8"	1	1243.4
LT35090-L	3 1/2"	3/0-6	11 3/16"	1 3/16"	5 1/4"	11 1/4"	1	1913.6
LT40090-L	4"	3/0-6	13"	1 1/4"	5 3/4"	12 9/16"	1	2398.6


Non Insulated



Insulated - Grounded

PART NUMBER	SIZE	LUG SIZE	DIMENSIONS				QTY PER BOX	WEIGHT PER C
			A	B	C	D		
LT3890L-I	3/8"	4-14	1 5/16"	9/16"	1 1/8"	1 3/8"	10	27.8
LT5090L-I	1/2"	4-14	1 7/16"	9/16"	1 1/4"	1 3/8"	10	31.4
LT7590L-I	3/4"	4-14	1 5/8"	9/16"	1 9/16"	1 1/2"	10	46.7
LT10090L-I	1"	4-14	1 15/16"	11/16"	1 13/16"	1 13/16"	5	77.4
LT12590L-I	1 1/4"	4-14	2 3/8"	3/4"	2 1/4"	1 15/16"	5	99.2
LT15090L-I	1 1/2"	4-14	2 11/16"	13/16"	2 7/16"	2 3/8"	2	124.7
LT20090L-I	2"	4-14	3 3/16"	13/16"	3"	2 5/8"	1	180.3
LT25090L-I	2 1/2"	1/0-8	8 5/16"	1 1/16"	4"	7 13/16"	1	855.0
LT30090L-I	3"	1/0-8	9 13/16"	1 3/16"	4 3/16"	9 1/8"	1	1255.8
LT35090L-I	3 1/2"	3/0-6	11 3/16"	1 1/4"	5 1/4"	11 1/4"	1	1932.7
LT40090L-I	4"	3/0-6	13"	1 5/16"	5 3/4"	12 9/16"	1	2422.5

Insulated



- Material:
- Malleable Iron
 - Steel Ferrule
 - Steel Locknut
 - Aluminum Lug



Commercial Fittings, Inc.
Irving, TX

Distributed exclusively by
Southwestern Electrical Sales, Inc.
Irving, Texas 75061
Toll free: 800-514-0311
Metro: 972-514-0311
Fax: 972-513-0319
Email: Sales@southwestelectricalsales.com